



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/539,062

04/11/2006

Pilgrim G.W Beart

120270.129223

4275

28440 7590 05/26/2009
WARNER, NORCROSS & JUDD
IN RE: ALTICOR INC.
INTELLECTUAL PROPERTY GROUP
111 LYON STREET, N. W. STE 900
GRAND RAPIDS, MI 49503-2489

EXAMINER

WENDELL, ANDREW

ART UNIT

PAPER NUMBER

2618

MAIL DATE

DELIVERY MODE

05/26/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/539,062	BEART ET AL.	
	Examiner	Art Unit	
	ANDREW WENDELL	2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 March 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,6,7,9-28,30,31,38-40,42-44 and 47-60 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,6,7,9-28,30,31,38-40,42-44 and 47-60 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/13/2009 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-3, 6-7, 9-28, 30-31, 38-40, 42-44, and 47-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kikinis et al. (WO 96/02879) in view of Mickle et al. (US Pat# 2005/0192062) and further in view of Dayan et al. (US 7,392,068).

Regarding claim 1, Kikinis teaches power receiving apparatus for use with a portable electrical device to enable the device to receive power wirelessly, the apparatus comprising a power-receiving element 98 (Fig. 18) adapted to be attached to the device 10 (Fig. 18), and also adapted to receive power wirelessly from a transmitter of power when the element and the transmitter are in proximity with one another (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15); and one or more power connectors

Art Unit: 2618

which, when the apparatus is in use, are connected electrically to the power-receiving element and are adapted to be connected to one or more corresponding power connectors of the portable electrical device to deliver power received by the element to the device (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15). Kikinis fails to teach an inductive power-receiving element and for use with a separate device.

Mickle teaches an inductive power-receiving element 100 (Fig. 1) adapted to be attached to the device 4 (Fig. 1), and also being adapted to receive power wirelessly 30 (Fig. 1) by electromagnetic induction from a transmitter 2 (Fig. 1) of power when the element and transmitter are in proximity with one another (Section 0030).

Therefore, it would have been obvious at the time of the invention to one of ordinary skill in the art at the time the invention was made to incorporate an inductive power-receiving element as taught by Mickle into Kikinis's wireless power receiving apparatus in order to increase efficiency (Sections 0013-0014).

Kikinis and Mickle fail to teach a power-receiving element for use with a separate device.

Dayan teaches a power-receiving element for use with a separate device that is not able on its own to receive power wirelessly 118 (Figure 9 and 10 and Col. 8 lines 17-33).

Therefore, it would have been obvious at the time of the invention to one of ordinary skill in the art at the time the invention was made to incorporate an inductive power-receiving element as taught by Mickle into a power-receiving element for use with a separate device as taught by Dayan into Kikinis's wireless power receiving

Art Unit: 2618

apparatus in order to increase mobility of the device while the device is charging (Col. 1 lines 38-42).

Regarding claim 2, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is adapted to be attached adhesively to the device when the apparatus is in use (Fig. 18).

Regarding claim 3, Kikinis further teaches mechanical attachment arrangement adapted to attach the power-receiving element mechanically to the device when the apparatus is in use (Fig. 18, Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 6, Kikinis further teaches a flexible connecting member connecting the one or more power connectors flexibly to the power-receiving element (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 7, Kikinis further teaches wherein the flexible connecting member also serves to connect the one or more power connectors electrically to the power-receiving element (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 9, Kikinis further teaches wherein the portable electrical device has first connector arrangement adapted to connect to corresponding second connector arrangement of external equipment, the first connector arrangement providing the one or more corresponding power connectors of the portable electrical device, and the apparatus further comprising: a third connector arrangement adapted to connect to the first connector arrangement of the portable electrical device, the third connector arrangement providing the one or more power connectors of the apparatus; a fourth connector arrangement adapted to connect to the second connector arrangement of the

Art Unit: 2618

external equipment; and a pass-through connection arrangement interconnecting at least one connector of the third connector arrangement and a corresponding connector of the fourth connector arrangement (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 10, Kikinis further teaches wherein the first to fourth connector arrangements also provide connectors for purposes other than power delivery, and the pass-through connection arrangement serves to interconnect corresponding connectors of the third and fourth connector arrangements used for the other purposes (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 11, Mickle further teaches power-conditioning circuitry operable to condition the power received by the power-receiving element prior to delivery to the portable electrical device (Section 0030).

Regarding claim 12, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is small relative to the portable electrical device 10 (Fig. 18).

Regarding claim 13, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is thin relative to the portable electrical device 10 (Fig. 18).

Regarding claim 14, Kikinis further teaches wherein a volume occupied by the power-receiving element 98 (Fig. 18) is small in comparison with a volume occupied by the portable electrical device 10 (Fig. 18).

Regarding claim 15, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is of sufficiently small dimensions that, when attached to the portable

Art Unit: 2618

electrical device 10 (Fig. 18), it does not substantially alter the ergonomics of the device.

Regarding claim 16, Kikinis further teaches wherein parts of the power-receiving element 98 (Fig. 18) that are visible to a user of the device 10 (Fig. 18) when the element is attached to the device have an external appearance which conforms to an external appearance of adjacent parts of the device (Fig. 18).

Regarding claim 17, Kikinis further teaches wherein a part of the power-receiving element 98 (Fig. 18) which must be placed in proximity with the transmitter is marked or coloured or labelled distinctively (obvious it will have different color because of the panels).

Regarding claim 18, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) has, at a surface thereof that is visible to a user of the portable electrical device 10 (Fig. 18) when the element is attached to the device, a substantially transparent pocket for carrying an insert to be visible to the user (Fig. 18).

Regarding claim 19, Kikinis further teaches an indicator 25 (Fig. 3) which produces a predetermined indication of an operating state of the apparatus.

Regarding claim 20, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is substantially flat (Fig. 18).

Regarding claim 21, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is flexible (portable).

Regarding claim 22, Mickle further teaches a portable electrical device 4 (Fig. 1) and inductive power receiving apparatus 100 (Fig. 1).

Regarding claim 23, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is attached to an external surface portion 12 (Fig. 18) of the device 10 (Fig. 18).

Regarding claim 24, Kikinis further teaches wherein the power-receiving element is attached to an internal surface portion of the device (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 25, Kikinis further teaches wherein the internal surface portion is a surface portion of a battery compartment of the device (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 26, Kikinis further teaches wherein the one or more corresponding power connectors of the portable electrical device are internal power connectors (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 27, Kikinis further teaches wherein the one or more corresponding power connectors of the portable electrical device are battery connectors (Page 11 line 28-Page 12 line 4, and Page 33 lines 4-15).

Regarding claim 28, Kikinis teaches a power-receiving element 98 (Fig. 18) in the form of a sticker (obvious that the power receiver element must be secured to the device by a sticker, screws, fasteners, etc.) adapted to be attached adhesively to a surface portion of a portable electrical device 10 (Fig. 18), the element being adapted to receive power wirelessly from a transmitter of power when the element and transmitter are in proximity with one another, and having connection means from which an electrical connection can be made to a power connector of the device (Page 11 line 28-

Art Unit: 2618

Page 12 line 4 and Page 33 lines 4-15). Kikinis fails to teach an inductive power-receiving element and for use with a separate device.

Mickle teaches an inductive power-receiving element 100 (Fig. 1) adapted to be attached adhesively to a surface portion of a portable electrical device 4 (Fig. 1), the element being adapted to receive power wirelessly by electromagnetic induction 30 (Fig. 1) from a transmitter of power 2 (Fig. 1) when the element and transmitter are in proximity with one another (Section 0030).

Kikinis and Mickle fails to teach a power-receiving element for use with a separate device.

Dayan teaches a power-receiving element for use with a separate device that is not able on its own to receive power wirelessly 118 (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 30, Kikinis further teaches wherein a side of the sticker opposite its adhesive side conforms in appearance to surface portions of the portable electrical device that will be adjacent to the opposite side when the sticker is attached to the device (Fig. 18, obvious in order to attach the receiving element to the device).

Regarding claim 31, Kikinis further teaches wherein the sticker has, on its side opposite its adhesive side, a substantially transparent pocket for carrying an insert (Fig. 18, obvious in order to make the appearance look better).

Regarding claim 38, method claim 38 is rejected for the same reason as apparatus claim 1 since the recited elements would perform the claimed steps.

Art Unit: 2618

Regarding claim 39, Kikinis further teaches wherein the one or more corresponding power connectors of the portable electrical device are externally accessible power connectors (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15).

Regarding claim 40, Kikinis further teaches a mechanical attachment arrangement adapted to attach the power-receiving element 98 (Fig. 18) mechanically to the device when the apparatus is in use (Fig. 18, obvious the power-receiving element has to be attached to the PDA).

Regarding claim 42, Kikinis further teaches wherein the one or more corresponding power connectors of the portable electrical device are externally accessible power connectors (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15).

Regarding claim 43, Kikinis further teaches wherein the wireless power receiving apparatus further comprises power-conditioning circuitry operable to condition the power received by the power-receiving element prior to delivery to the portable electrical device (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15).

Regarding claim 44, Kikinis further teaches wherein the power connector of the device is an externally accessible power connector (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15).

Regarding 47, Kikinis further teaches wherein the one or more corresponding power connectors of the device are externally accessible power connectors (Page 11 line 28-Page 12 line 4 and Page 33 lines 4-15).

Regarding claim 48, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is attached to an external surface portion of the device 10 (Fig. 18).

Regarding claim 49, Kikinis further teaches wherein the power-receiving element 98 (Fig. 18) is attached to an external surface portion of the device 10 (Fig. 18).

Regarding claim 50, Dayan further teaches wherein said power-receiving element forms part of a replacement cover portion of the portable electrical device 118 (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 51, Dayan further teaches wherein said power-receiving element and at least one of said power connectors of the apparatus are connected rigidly together, whereby connection of said at least one power connector to its said corresponding power connector of the portable electrical device serves to attach the power-receiving element mechanically to the device (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 52, Dayan further teaches having one or more electrical connections extending between said power-receiving element and said one or more power connectors, said one or more electrical connections being detachable from said power-receiving element and/or from said one or more power connectors when the apparatus is not in use (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 53, Dayan further teaches wherein said sticker has a removable backing sheet on its adhesive side which is removed at the time of attaching the element to the device (Col. 8 lines 17-33).

Regarding claim 54, apparatus claim 54 is rejected for the same reason as apparatus claim 28 since the recited elements would perform the claimed steps.

Art Unit: 2618

Note, Dayan teaches in Column 8 lines 23-27 that the adapter can be screwed onto the cover and therefore it is obvious the newly created adapter cover can be used with and replace with other similar model devices.

Regarding claim 55, Dayan further teaches adapted to cover a battery compartment of the portable electrical device, and having one or more battery connectors adapted to connect to one or more corresponding battery connectors of the device and/or to terminals of one or more batteries installed in the device (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 56, Dayan further teaches wherein said one or more battery connectors of the cover portion are adapted to be interposed between said battery terminals and said corresponding battery connectors of the device (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 57, Dayan further teaches adapted to cover a battery compartment of the portable electrical device, and further carrying or incorporating at least one rechargeable battery such that, when the replacement cover portion is in place on a device, the battery is installed operatively in the battery compartment, the power-receiving element being connected operatively to the battery for charging the battery when power is received wirelessly from the transmitter (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 58, Dayan further teaches a handset of a mobile communications network 10 (Fig. 18).

Regarding claim 59, Dayan further teaches wherein said power-receiving element forms part of a replacement cover portion of the portable electrical device (Figure 9 and 10 and Col. 8 lines 17-33).

Regarding claim 60, Dayan further teaches wherein said power connector is an externally accessible power connector of the device (Figure 9 and Col. 8 lines 17-33).

Response to Arguments

4. Applicant's arguments with respect to claims 1-3, 6-7, 9-28, 30-31, 38-40, 42-44, 47-60 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANDREW WENDELL whose telephone number is (571)272-0557. The examiner can normally be reached on 7:30-5 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 571-272-7882. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nay A. Maung/
Supervisory Patent Examiner, Art Unit 2618

/Andrew Wendell/
Examiner, Art Unit 2618

5/20/2009